


### FALTENBÄLGE BELLOWS



#### Faltenbälge (Neoprene) Bellows (Neoprene)

Bestell-Nr. Order no.	i Ø mm	k Ø mm	o mm	p mm	m Ø mm	n Ø mm	r zusammen mm r compressed mm	r gestreckt mm r expanded mm
170	16	26	8	8	31	42	28	80
210	22	32	10	10	37	50	46	150
230	23	35	10	10	38	56	45	150
290	28	41	12	14	47	70	46	250
293	28	41	12	14	47	70	60	310
340	34	46	13	14	53	80	47	300
343	34	46	13	14	53	80	80	500
440	42	58	13	14	66	96	55	310

## DATENBLATT / DATA SHEET

Materialbezeichnung: Clorgummi (Cr 604)

Chemische Bezeichnung: Polychloropren

Material: Clorgum

Chemical Name: Polychloroprene

### Physikalische Eigenschaften

Physical attributes

Härte hardness	60 ± 5	Shore A
Zugfestigkeit tensile strength	>10	Mpa
Bruchdehnung tear strength	> 350	%

### Druckverformungsrest

Compression Rest

Weiterreißwiderstand tear strength	> 24	N/mm
------------------------------------	------	------